

FIG. 1




FIG. 2




FIG. 3

Date: Thu, 7 Jul 1994 17:16:05 -0400
From: Mail Delivery Subsystem <MAILER-DAEMON@CS.UTK.EDU>
Message-Id: <199407072116.RAA14128@CS.UTK.EDU>
Subject: Returned mail: Cannot send message for 5 days
To: <owner-info mine@cx.utk.cdu>
MIME-Version: 1.0
Content-Type: multipart/report; report-type=delivery-status;
boundary= "RAA14128.773615765/CS.UTK.EDU"

— RAA14128.773615765/CS.UTK.EDU

The original message was received at Sat, 2 Jul 1994 17:10:28 -0400
From root@localhost

—— The following addresses had delivery problems ——
<louis@larry.slip.umd.cdu> (unrecoverable error)

—— Transcript of session follows ——
<louis@larry.slip.umd.cdu> ...Deferred: Connection timed out
with larry.slip.umd.edu.
Message could not be delivered for 5 days
Message will be deleted from queue

— RAA14128.773615765/CX.UTK.EDU
content-type: message/delivery-status

Reporting-MTA: dns; cs.utk.edu

Original-Recipient: rfc822;louisl@larry.slip.umd.edu
Action: failed
Status: 4.0.0
Diagnostic-Codc: smtp; 426 conn4ection timed out
Last-Attempt-Date: Thu, 7 Jul 1994 17:15:49 -0400

— RAA14128.773615765/CS.UTK.EDU
content-type: message/rfc822

[original message goes here]
— RAA14128.773615765/CS.UTK.EDU —

FIG. 4

Date: Wed, 20 Sep 1995 00:19:00 (EDT) -0400
From: Joe Recipient <Joe_Recipient@mega.edu>
Message-Id: <199509200019.12345@mega.edu>
Subject: Disposition notification --
To: Jane Sender <Jane_Sender@hugc.com>
MIME-Version: 1.0
Content-Type; multipart/report; report-type=disposition-notification;
boundary= "RAA14128.773615765/mega.edu"

—RAA14128.773615765/mega.edu

The message sent on 1995 Sep 19 at 13:30:00 (EDT) -0400 to joe Recipient <Joe_Recipient@mega.edu> with subject "First draft of report" has been displayed. This is no guarantee that the message has been read or understood.

— RAA14128.773615765/mega.edu
content-type: message/dimension-notification

Reporting-UA: joes-pc.cs.mega.edu; FooMail 97.1
Original-Recipient: rfc822;joe_Recipient@mega.edu
Final-Recipient: rfc822;Joe_Recipient@mega.edu
Original-Message-ID: <199509192301.23456@hugc.com>
Disposition: manual-action/MDN-sent-manually; displayed

— RAA14128.773615765/mega.edu
content-type: message/rfc822

[original message goes here]

— RAA14128.773615765/mega.edu —

FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

SWITCH	CONTENTS	SETTING
S1	ALL OF EXPRESS CONFIRMATION MAILS ARE PRINTED.	ON / OFF
S2	ALL OF EXPRESS CONFIRMATION ERRORS ARE PRINTED.	ON / OFF
S3	ALL OF EXPRESS CONFIRMATION MAILS ARE TRANSFERRED BY MAIL	ON / OFF
S4	ALL OF EXPRESS CONFIRMATION ERRORS ARE TRANSFERRED BY MAIL	ON / OFF

FIG. 11

